

# Adult Tobacco Survey 2

## Winter 2001-02 Survey Results

*Island County*

**First, I have some questions about your health. Would you say that in general your health is. . .**

n = 196

Excellent	30.7%	(± 7.4%)
Very good	41.0	(± 7.5)
Good	23.7	(± 6.7)
Fair	4.3	(± 2.8)
Or poor	0.3	(± 0.7)

**During the past 3 months, on how many days did you stay in bed for more than half the day because of illness or injury?**

n = 195

None	77.8%	(± 6.5%)
One day	12.1	(± 5.4)
More than one day	10.2	(± 4.4)

**About how long has it been since you last visited a DOCTOR for a routine checkup?**

n = 196

Within the past year (1-12 months ago)	84.7%	(± 5.2%)
Within the past two years (1-2 years ago)	7.9	(± 3.7)
More than two years ago	7.5	(± 4.0)
Never	0.0	(± 0.0)

**About how long has it been since you last visited a DENTIST for a routine checkup?**

n = 195

Within the past year (1-12 months ago)	77.3%	(± 6.5%)
Within the past two years (1-2 years ago)	12.8	(± 5.4)
More than two years ago	10.0	(± 4.3)
Never	0.0	(± 0.0)

**Next are a few questions about your health care coverage. Do you have any kind of health care coverage, including health insurance, prepaid plans such as an HMO, or government plans such as Medicare?**

n = 195

Yes	89.1%	(± 4.9%)
No	10.9	(± 4.9)

\* Estimates based on sample sizes less than 75 omitted

***Among those with health care coverage:***

**What type of health coverage do you use to pay for most of your medical care? Is it coverage through. . .**

n = 173

Your employer	29.4%	(± 7.3%)
Someone else's employer	11.5	(± 5.1)
A plan that you or someone buys on your own	8.2	(± 4.6)
Medicare	21.7	(± 6.6)
Medicaid or Medical Assistance	8.1	(± 5.0)
Other	21.1	(± 7.1)

**Are you currently. . .**

n = 196

Employed for wages	54.8%	(± 7.7%)
Self-employed	8.1	(± 3.8)
Out of work	3.1	(± 3.1)
Homemaker	7.2	(± 3.6)
Student	0.6	(± 1.1)
Retired	23.8	(± 6.4)
Or unable to work	2.4	(± 2.2)

**Now, I would like to ask you some questions about your personal history of tobacco use. Have you, even once in your life, smoked a cigarette?**

n = 196

Yes	76.8%	(± 6.5%)
No	23.2	(± 6.5)

***Among those who ever smoked a cigarette:***

**How old were you when you first tried smoking cigarettes?**

n = 149

**average:** 16.0 (± 0.7)

**Have you smoked at least 100 cigarettes in your entire life? NOTE: 5 packs=100 cigarettes**

n = 195

Yes	50.7%	(± 7.8%)
No	49.3	(± 7.8)

***Among those who ever smoked 100 cigarettes and smoked regularly:***

**How old were you when you first started smoking cigarettes fairly regularly?**

n = 94

**average:** 18.9 (± 1.1)

***Among those who ever smoked 100 cigarettes:***

**Do you now smoke cigarettes every day, some days or not at all?**

n = 101

Every day	21.1%	(± 9.1%)
Some days	3.4	(± 4.0)
Not at all	75.4	(± 9.6)

***Among every day and some day smokers:***

**On average, about how many cigarettes per day do you smoke? NOTE: 1 PACK = 20 CIGARETTES**

n = 25

\* \*

\* Estimates based on sample sizes less than 75 omitted

<b>Current cigarette smoking prevalence:</b>	n = 195
(every day or some day smokers among the whole population)	12.5% (± 5.2%)

***Among every day and some day smokers:***

<b>What brand of cigarette do you smoke most often?</b>	n = 25
Camel	* *
Marlboro	* *
Other	* *

***Among every day and some day smokers:***

<b>Is this brand menthol?</b>	n = 25
Yes	* *
No	* *

***Among every day and some day smokers:***

<b>Are you currently smoking a brand with lower levels of nicotine or tar?</b>	n = 25
Yes	* *
No	* *

**This next question asks about smokeless tobacco. Have you ever tried using smokeless tobacco, like chew, dip or snuff? IF NEEDED: Such as Copenhagen, Kodiak, Redman or Beechnut**

	n = 196
Yes	16.8% (± 5.8%)
No	83.2% (± 5.8%)

***Among those who ever used smokeless tobacco:***

<b>On how many of the past 30 days did you use smokeless tobacco products?</b>	n = 32
Zero	* *
Less than 30	* *
30 days	* *

**Current smokeless tobacco prevalence:**

	n = 196
(any use in the past 30 days among the whole population)	1.8% (± 2.1%)

**What about cigar smoking, including large cigars, cigarillos, and little cigars. How many cigars have you smoked in your life?**

	n = 195
None	63.9% (± 7.5%)
One	6.3 (± 3.4)
2-5	10.3 (± 4.9)
6-20	6.7 (± 3.9)
More than 20	12.8 (± 5.4)

***Among those who ever smoked a cigar:***

<b>On how many of the past 30 days did you smoke a cigar, even just a puff?</b>	n = 67
Zero	* *
Less than 30	* *
30 days	* *

\* Estimates based on sample sizes less than 75 omitted

<b>Current cigar smoking prevalence:</b>	n = 196
(any use in the past 30 days among the whole population)	5.1% (± 4.2%)

<b>Have you ever tried smoking tobacco in a pipe?</b>	n = 196
Yes	23.0% (± 6.5%)
No	77.0 (± 6.5)

<b>Among those who ever smoked a pipe:</b>	
<b>On how many of the past 30 days did you smoke tobacco in a pipe?</b>	n = 43
Zero	* *
Less than 30	* *
30 days	* *

<b>Current pipe smoking prevalence:</b>	n = 196
(any use in the past 30 days among the whole population)	0.0% (± 0.0%)

<b>Have you ever tried smoking bidis (BEEDIES)?</b>	n = 195
Yes	5.7% (± 3.7%)
No	94.3 (± 3.7)

<b>Current bidi smoking prevalence:</b>	n = 196
(any use in the past 30 days among the whole population)	0.4% (± 0.7%)

<b>Have you ever tried smoking clove cigarettes?</b>	n = 196
Yes	10.3% (± 4.6%)
No	89.7 (± 4.6)

<b>Among those who ever smoked cloves:</b>	
<b>On how many of the past 30 days did you use clove cigarettes?</b>	n = 21
Zero	* *
Less than 30	* *
30 days	* *

<b>Current clove cigarette smoking prevalence:</b>	n = 196
(any use in the past 30 days among the whole population)	0.0% (± 0.0%)

<b>Current tobacco use prevalence:</b>	n = 196
(Currently smokes cigarettes, cigars, pipes, bidis, or cloves OR uses smokeless tobacco among the whole population)	15.5% (± 5.7%)

<b>Among former tobacco users:</b>	
<b>About how long has it been since you last used tobacco, that is, daily?</b>	n = 76
Within the past year (0-12 months ago)	19.6% (± 10.4%)
Within the past 5 years (1-5 years ago)	14.5 (± 8.2)
Within the past 15 years (5-15 years ago)	20.1 (± 9.8)
Or 15 or more years ago	43.8 (± 12.6)
Never used regularly	1.9 (± 3.7)

\* Estimates based on sample sizes less than 75 omitted

***Among current tobacco users:***

**About how much do you usually spend on tobacco products every week? IF  
NEEDED: On average, in a typical week**

n = 25

Less than \$5	*	*
\$5-9	*	*
\$10-14	*	*
\$15-24	*	*
\$25-34	*	*
\$35-44	*	*
\$45 or more	*	*

***Among current tobacco users:***

**In the past month, did you buy tobacco on a Native American reservation?**

n = 29

Yes	*	*
No	*	*

***Among current and former tobacco users:***

**These next questions ask about things that might make a person want to quit using tobacco. Do you agree or disagree with the following statement: People close to me were/are upset by my using tobacco. Do you. . .**

n = 101

Strongly agree	41.1%	(± 10.8%)
Somewhat agree	27.5	(± 10.0)
Somewhat disagree	13.0	(± 7.3)
Or strongly disagree	18.4	(± 8.1)

***Among current and former tobacco users:***

**Have any of your family or friends ever asked or advised you to quit using tobacco?**

n = 102

Yes	70.7%	(± 10.0%)
No	29.3	(± 10.0)

***Among current and former tobacco users who were ever advised to quit by family or friends:***

**When was the last time a family member or friend advised you to quit?**

n = 69

Within the past year (1-12 months)	*	*
Within the past three years (1-3 years)	*	*
Or 3 or more years ago	*	*

***Among current and former tobacco users:***

**Have any of the following health care professionals ever advised you to quit using tobacco. . . A doctor?**

n = 104

Yes	54.5%	(± 10.7%)
No	45.5	(± 10.7)

\* Estimates based on sample sizes less than 75 omitted

***Among current and former tobacco users:***

**Have any of the following health care professionals ever advised you to quit using tobacco. . . A dentist?**

n = 103

Yes	24.8%	(± 9.7%)
No	75.2	(± 9.7)

***Among current and former tobacco users:***

**Have any of the following health care professionals ever advised you to quit using tobacco. . . A nurse?**

n = 104

Yes	28.2%	(± 9.9%)
No	71.8	(± 9.9)

***Among current and former tobacco users:***

**Have any of the following health care professionals ever advised you to quit using tobacco. . . Another health care provider?**

n = 104

Yes	11.3%	(± 6.9%)
No	88.7	(± 6.9)

***Among current and former tobacco users who were advised by a health care professional:***

**When was the last time a health care professional of any kind advised you to quit using tobacco?**

n = 56

Within the past year (1-12 months)	*	*
Within the past three years (1-3 years)	*	*
Or 3 or more years ago	*	*
Never advised to quit by a health care professional	*	*

***Among current and former tobacco users who were advised by a health care professional:***

**Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?**

n = 52

Yes	*	*
No	*	*

***Among current and former tobacco users:***

**How many times in your life have you seriously tried to quit using tobacco?**

n = 99

0	13.3%	(± 8.1%)
1-2	50.0	(± 11.0)
3-5	27.9	(± 10.1)
6 or more	8.8	(± 7.5)

***Among current tobacco users:***

**During the past year, did you not use tobacco for one day or longer because you were trying to quit?**

n = 29

Yes	*	*
No	*	*

\* Estimates based on sample sizes less than 75 omitted

***Among current and former (quit within in past year) tobacco users who are employed:***

**Within the past year, has your employer offered any stop-smoking programs or other programs to help employees who want to quit using tobacco?** n = 26

Yes	*	*
No	*	*

***Among current and former (quit within in past year) tobacco users with health insurance:***

**Does your health care insurance coverage pay for the cost of any help to quit using tobacco, such as a stop-smoking program or nicotine patches, pills or other medications?** n = 32

Yes	*	*
No	*	*
Don't know/Not sure	*	*

***Among current and former (quit within in past year) tobacco users:***

**Have you heard about the Washington State "Quit-Line - a telephone support service to help people quit using tobacco?** n = 42

Yes	*	*
No	*	*

***Among current tobacco users:***

**Would you like to quit using tobacco?** n = 29

Yes	*	*
No	*	*

***Among current tobacco users who would like to quit:***

**Are you seriously considering quitting tobacco use within the next 6 months?** n = 17

Yes	*	*
No	*	*

***Among current tobacco users who would like to quit in the next 6 months:***

**Are you planning to stop within the next 30 days?** n = 13

Yes	*	*
No	*	*

***Among current tobacco users:***

**Readiness to quit, from the "Stages of Change" model** n = 27

Precontemplative	*	*
Contemplative	*	*
Preparation	*	*

**Next I have some questions about you. Remember that your responses are confidential. What is your age?** n = 196

18-29	18.8%	(± 6.5%)
30-49	39.0	(± 7.5)
50+	42.2	(± 7.6)

\* Estimates based on sample sizes less than 75 omitted

**I'm going to ask about your race and ethnicity. You can have more than one answer.**

**Are you. . . White?**

n = 194

Yes	90.4%	(± 5.0%)
No	9.6	(± 5.0)

**I'm going to ask about your race and ethnicity. You can have more than one answer.**

**Are you. . . Black?**

n = 194

Yes	2.1%	(± 2.3%)
No	97.9	(± 2.3)

**I'm going to ask about your race and ethnicity. You can have more than one answer.**

**Are you. . . Asian or Pacific Islander?**

n = 194

Yes	6.0%	(± 4.4%)
No	94.0	(± 4.4)

**I'm going to ask about your race and ethnicity. You can have more than one answer.**

**Are you. . . American Indian or Alaska Native?**

n = 194

Yes	4.7%	(± 3.3%)
No	95.3	(± 3.3)

**I'm going to ask about your race and ethnicity. You can have more than one answer.**

**Are you. . . Hispanic or Latino?**

n = 194

Yes	3.6%	(± 3.3%)
No	96.4	(± 3.3)

**Are you. . .**

n = 194

Married	63.1%	(± 7.3%)
Divorced	12.2	(± 4.7)
Widowed	7.6	(± 3.5)
Separated	2.8	(± 2.2)
Never been married	13.0	(± 5.4)
Or a member of unmarried couple	1.4	(± 1.6)

**How many children under the age of 18 live in your household?**

n = 196

None	67.4%	(± 7.4%)
1	16.3	(± 6.1)
2	9.9	(± 4.5)
3 or more	6.4	(± 3.7)

**What is the highest grade or year of school you completed?**

n = 195

Some high school or less	3.7%	(± 2.8%)
Grade 12 (high school graduate or GED)	30.7	(± 7.3)
College 1-3 years (some college, technical school, community college AA)	29.3	(± 7.0)
College graduate (4 years) or beyond college	36.3	(± 7.5)

\* Estimates based on sample sizes less than 75 omitted



**Annual household income from all sources... IF NEEDED: Annual household income before taxes.**

n = 167

\$20,000 or less	19.3%	(± 6.2%)
\$20,000 to less than \$50,000	43.7	(± 8.3)
\$75,000 or more	37.0	(± 8.3)

**Gender**

n = 196

Male	51.8%	(± 7.7%)
Female	48.2	(± 7.7)

**How many people, including you, who live in your household currently smoke cigarettes, cigars, or pipes?**

n = 196

0	77.7%	(± 6.6%)
1	13.6	(± 5.1)
2	6.4	(± 3.8)
3 or more	2.3	(± 3.2)

**On how many of the past 30 days has someone, including you, smoked cigarettes, cigars, or pipes anywhere inside your home?**

n = 195

0 days	85.8%	(± 5.6%)
1-29 days	5.2	(± 3.4)
30 days	9.0	(± 4.7)

**If it were just up to you, would you let people smoke inside your home?**

n = 192

Yes	10.9%	(± 4.8%)
No	89.1	(± 4.8)

**Among those who are employed for wages (excluding self-employed):**

**How many people are employed where you work? IF NEEDED: Facilities that share your same street address**

n = 100

Less than 5	8.7%	(± 6.2%)
Between 5 and 9	8.0	(± 5.7)
Between 10 and 19	8.0	(± 6.2)
Between 20 and 99	24.4	(± 9.8)
Or 100 or more	50.8	(± 11.0)

**Among those who are employed for wages (excluding self-employed):**

**When you are at work, do you spend most of your time in an. . .**

n = 101

Office	42.0%	(± 10.8%)
Store	5.8	(± 4.4)
Restaurant	4.4	(± 5.3)
Warehouse or factory	3.1	(± 3.8)
Home	3.8	(± 4.0)
Outdoors	10.9	(± 7.1)
Car or truck	4.1	(± 4.6)
Classroom/school	10.0	(± 6.2)
Hospital	3.9	(± 3.5)
Or somewhere else (SPECIFY:)	12.0	(± 7.4)

\* Estimates based on sample sizes less than 75 omitted

***Among those who are employed for wages (excluding self-employed):***

**The next questions are about secondhand smoke in your work place. Does your workplace have official rules that restrict smoking in any way?**

n = 101

Yes	79.5%	(± 8.5%)
No	20.5	(± 8.5)

***Among those who are employed for wages (excluding self-employed):***

**Is smoking allowed in any of the following areas at your workplace. . . Some or all indoor work areas?**

n = 101

Yes	7.0%	(± 5.3%)
No	93.0	(± 5.3)

***Among those who are employed for wages (excluding self-employed):***

**Is smoking allowed in any of the following areas at your workplace. . . Employee lunchrooms or lounges?**

n = 100

Yes	8.6%	(± 6.0%)
No	91.4	(± 6.0)

***Among those who are employed for wages (excluding self-employed):***

**Is smoking allowed in any of the following areas at your workplace. . . A designated indoor smoking area?**

n = 99

Yes	8.7%	(± 6.1%)
No	91.3	(± 6.1)

***Among those who are employed for wages (excluding self-employed):***

**In a typical week, how many hours would you say that you are in a room or car with secondhand smoke while you are working?**

n = 100

Less than one hour	86.5%	(± 7.9%)
1-10 hours	8.4	(± 7.1)
More than 10 hours	5.1	(± 4.0)

**The next questions are about secondhand smoke. Secondhand smoke is smoke from someone else's cigarette, cigar or pipe. In general, would you say that breathing secondhand smoke is. . .**

n = 196

Not at all annoying to you	10.8%	(± 4.9%)
A little bit annoying to you	11.8	(± 5.2)
Somewhat annoying to you	17.8	(± 5.9)
Or very annoying to you	59.7	(± 7.6)

**Would you say that breathing secondhand smoke is. . .**

n = 187

Not at all harmful	65.9%	(± 7.7%)
A little bit harmful	25.2	(± 7.1)
Somewhat harmful	5.4	(± 3.7)
Or very harmful	3.6	(± 3.2)

\* Estimates based on sample sizes less than 75 omitted

**Do you agree or disagree with the following statement: All people should be protected from secondhand smoke. Do you. . .**

n = 188

Strongly agree	62.9%	(± 7.7%)
Somewhat agree	20.9	(± 6.5)
Somewhat disagree	10.0	(± 5.1)
Or strongly disagree	6.2	(± 3.7)

**What about this statement: ALL CHILDREN should be protected from secondhand smoke. Do you. . .**

n = 194

Strongly agree	81.5%	(± 6.3%)
Somewhat agree	14.7	(± 6.0)
Somewhat disagree	2.6	(± 2.1)
Or strongly disagree	1.2	(± 1.2)

**Do you think that smoking should be completely banned in restaurants?**

n = 196

Yes	68.3%	(± 7.2%)
No	27.9	(± 6.9)
Don't know/Not sure	3.8	(± 3.1)

**If there were a total ban on smoking in restaurants, do you think you would eat out more often, less often, or would it make no difference?**

n = 196

More often	22.0%	(± 6.3%)
Less often	6.1	(± 4.1)
Make no difference	71.9	(± 7.0)

**Do you think that smoking should be completely banned in bars and lounges?**

n = 196

Yes	33.2%	(± 7.4%)
No	56.8	(± 7.7)
Don't know/Not sure	10.0	(± 4.6)

**If there were a total ban on smoking in bars, do you think you would go out more often, less often, or would it make no difference?**

n = 189

More often	20.5%	(± 6.4%)
Less often	6.1	(± 4.3)
Makes no difference	73.4	(± 7.1)

**The next questions ask for your opinion about things that happen in your community. Do you agree or disagree with this statement: Laws banning possession of tobacco products by minors (children under 18) have been enforced.**

**Do you. . .**

n = 195

Strongly agree	20.9%	(± 6.5%)
Somewhat agree	32.8	(± 7.3)
Somewhat disagree	15.8	(± 5.8)
Or strongly disagree	18.5	(± 6.0)
Don't know/Not sure	12.1	(± 4.8)

\* Estimates based on sample sizes less than 75 omitted

**Generally speaking, how often do you see young people -- those under age 18 smoking in your community? Would you say. . .**

n = 193

Daily or almost daily	45.4%	(± 7.8%)
Couple of times per week	28.7	(± 7.0)
2-4 times per month	12.3	(± 5.1)
Once a month or less	8.6	(± 4.1)
Or never	5.0	(± 3.5)

**During the past year, did you, yourself, ever buy or give someone under the age of 18 tobacco products?**

n = 196

Yes	1.5%	(± 1.9%)
No	98.5	(± 1.9)

**Here is another statement: The city or town where I live has enough rules and laws to protect nonsmokers, including children, from secondhand smoke. Do you. . .**

n = 196

Strongly agree	17.1%	(± 5.5%)
Somewhat agree	35.0	(± 7.4)
Somewhat disagree	12.3	(± 5.2)
Or strongly disagree	16.7	(± 5.8)
Don't know/Not sure	18.8	(± 6.2)

**Have you seen or heard about any efforts or activities in your community or in schools to help reduce tobacco use among youth? IF NEEDED: This could include as part of your job**

n = 196

Yes	50.7%	(± 7.8%)
No	38.3	(± 7.6)
Don't know/Not sure	11.0	(± 4.8)

***Among those who have seen or heard of activities:***

**Have you participated in any efforts or activities in your community or in schools to help reduce tobacco use among youth? IF NEEDED: This could include as part of your job.**

n = 101

Yes	28.5%	(± 9.6%)
No	71.5	(± 9.6)

***Among those who have seen or heard of activities:***

**Some communities have organizations that specifically work on tobacco prevention activities. To your knowledge, has there been a local anti-tobacco or anti-smoking organization working in your community over the past few years?**

n = 101

Yes	40.3%	(± 10.6%)
No	35.5	(± 10.0)
Don't know/Not sure	24.3	(± 9.3)

\* Estimates based on sample sizes less than 75 omitted

The next questions ask for your opinion on some statements about the harm from tobacco use. Please tell me if you agree with this statement: A pregnant woman could hurt her baby if she smokes. Do you. . .

n = 191

Strongly agree	84.6%	(± 5.9%)
Somewhat agree	12.5	(± 5.5)
Somewhat disagree	1.8	(± 1.9)
Or strongly disagree	1.1	(± 1.6)

Here is another statement: It is safe to smoke for a year or two, as long as you quit after that. Do you. . .

n = 196

Strongly agree	2.5%	(± 2.1%)
Somewhat agree	11.9	(± 5.3)
Somewhat disagree	17.8	(± 5.8)
Or strongly disagree	63.1	(± 7.5)
Don't know/Not sure	4.7	(± 3.0)

There are so many things that cause cancer, tobacco use is not going to make any difference. Do you. . .

n = 192

Strongly agree	4.5%	(± 3.5%)
Somewhat agree	8.9	(± 4.6)
Somewhat disagree	9.9	(± 5.3)
Or strongly disagree	76.7	(± 7.0)

Some organizations are conducting campaigns to convince youth not to start using tobacco, and motivate adults to quit. During the past 30 days, how often have you seen commercials on TV about the dangers of tobacco use or about not smoking?

n = 195

Every day	26.3%	(± 7.0%)
Couple times per week	26.4	(± 6.8)
Once per week	7.9	(± 4.1)
Couple times per month	10.5	(± 4.9)
Maybe once	7.3	(± 4.1)
Never	14.5	(± 5.3)
Don't know/Not sure	7.2	(± 3.6)

**Among current tobacco users who saw anti-tobacco TV ads:**

Did the ad change your thinking about tobacco use to make you more in favor of quitting tobacco use, less in favor of quitting tobacco use, or did your thinking about tobacco use stay the same?

n = 23

More in favor	*	*
Less in favor	*	*
Stayed the same	*	*

\* Estimates based on sample sizes less than 75 omitted

**During the past 30 days, how often have you seen advertisements about the dangers of tobacco use or about not smoking on billboards, posters, or buses?**

n = 196

Every day	11.3%	(± 4.8%)
Couple times per week	9.3	(± 4.8)
Once per week	6.6	(± 3.7)
Couple times per month	15.3	(± 6.0)
Maybe once	10.1	(± 4.9)
Never	43.3	(± 7.6)
Don't know/Not sure	4.0	(± 2.7)

***Among those who have children and have seen anti-tobacco commercials:***

**Have you talked to your child about any of the anti-tobacco commercials or advertisements you have seen?**

n = 42

Yes	*	*
No	*	*

**Some tobacco companies make promotional items like clothing, hats, bags or other things with their brand on it. Would you ever use or wear something that has a tobacco company logo or picture on it?**

n = 192

Yes	15.2%	(± 5.6%)
No	84.8	(± 5.6)

**During the past year, have you received a free sample or coupon for a free sample of cigarettes or other tobacco products?**

n = 194

Yes	20.9%	(± 6.3%)
No	79.1	(± 6.3)

**How do you feel about this statement: Tobacco companies should have the same rights to advertise their products as other companies. Do you. . .**

n = 192

Strongly agree	20.6%	(± 6.6%)
Somewhat agree	24.9	(± 6.6)
Somewhat disagree	18.9	(± 6.2)
Or strongly disagree	35.6	(± 7.5)

***Among those with children ages 10-17 years old:***

**Have you told your child specifically that you do not want him or her to use tobacco?**

n = 36

Yes	*	*
No	*	*

\* Estimates based on sample sizes less than 75 omitted